



Q.LIGN 360°

Q.Lign 360°

Q.Lign 360° with extendable wall fixation and tablet operation for 360° space around the lift. Comes with Q.Grip wheel clamps and turntables.

Article number: 1 690 800 012

Ultimate productivity - vehicle after vehicle

The Q.Lign 360° builds on the existing Q.Lign platform and focuses entirely on wheel alignment. With Q.Lign 360°, workshops raise the bar even higher to exploit their full service potential.

Measuring at the highest level

- Camera beam measures permanently from a height of 2.8 meters
- No motor, no winch, no wear and tear
- No up, no down, no injuries or damage
- No movement, no matter if short or long wheelbases

Everything perfectly in sight

- Four wheels, four cameras
- Separate camera for the rear axle for more accurate toe values on the front axle
- Install anywhere within 1.8 to 4,2 meters of the front axle
- Measure and adjust from 0 to 2 meters platform height at any time

Never run out of space again

- Fixation on the wall and direct tablet operation
- No trolley, no post that take up space
- Measure from 1,8 to 4,2m distance to the front axle
- Frees up space around the complete alignment bay

Work smarter, not harder

- Measurement starts directly with attachment of the targets to quickly determine accident vehicles
- All targets work on any wheel reduces setup times and setup errors
- Active MEMS Technology: Constant measurement against gravity for uncompromising accuracy
- Caster sweep at floor level without the need for a stool or ladder
- Access to clear and easy-to-understand PDF reports from anywhere inside your shop

The world's first web-based wheel aligner

- Eliminates need for trolley and PC and creates more space
- Incredibly efficient with up to 95% power savings compared to PC-based systems
- Stream-to-X: Access software on any TV, PC, laptop, tablet or smartphone
- Intuitive software, streamlined operations, more productivity
- Easy integration of Q.Lign into your shop's daily processes and systems

Full speed, without compromising on precision

- Powerful software with optimized workflow for the entire wheel alignment process
- Reduced runout process for more productivity
- 3D camera technology produces highly accurate realtime measurements

Space requirement

- Minimum height of 2800mm
- Minimum clearance of 2800mm on four-post lifts

Technical Data

Packaging unit	1 Piece(s)
Electrical connection	90-264V 1Ph 47-63Hz
Individual toe front/rear axle	Ja
Total toe	Ja
Toe-out on turns	Ja
Camber front/rear axle	Ja
Caster	Ja
SAI	Ja
Set-back	Ja
Thrust angle	Ja
Sensor count	4 Piece(s)
Data transmission type	kabellos
Measuring system	3D mit Messbalken (fixiert)
Display size	10 "
Power consumption	45 W
Wheel base	1750 - 4600 mm
Space requirement width	2595 mm
Run-out compensation	Ja
Individual toe front axle	Ja
Individual toe rear axle	Ja
Camber front	Ja
Camber rear	Ja
Set-back front axle	Ja
Set-back rear axle	Ja
Geometric centre line	Ja
Included angle	Ja
Ride height modified vehicle specs	Yes
Vehicle dimensions live	Ja
Set-up height	2800 mm
Country of Origin, customs	DE
Number of languages (software)	30
Distance camera - center of turntable	1800 - 3300 mm
Clearance front posts of lift min.	2800 mm

Accessories

1690002019	Vehicle database update Q.Lign Key Card 365
1690801053	Wall mount Q.Lign T-Series 515-880mm
1690701521	Magnetic clamps for wheel bolts 100mm
1690701508	Magnetic clamps for wheel bolts 75mm

1690380161	Self-centering quick clamp for Tesla
1690380010	Self-centering quick clamp for Porsche
1690301003	Self-centering quick clamp for Porsche
1690301002	Central clamp Porsche Carrera GT
1690380002	Central clamp Porsche 911 GT3 and Turbo
1690381299	Self-centering quick clamp for Ferrari
8900380016	Self-centering quick clamp for Lamborghini
1690311112	Multi-Fit wheel clamp with standard claws 13 - 22" 4 pcs.
1690101010	Adapter set Q.Grip for Q.Lign 4 pcs.
1690100001	ProClamp wheel clamp 13 - 23" 1 pc
1690801002	Quick clamp Mercedes-Benz OEM
1690801001	Quick clamp BMW OEM
1690311113	Extension set for Multi-fit clamps 23 - 28"
1690501001	Mechanical aluminum turntable Standard
1690401028	Mechanical aluminum turntable Precision
1690401011	Electronic aluminum turntable without connecting cable Standard
1690401013	Electronic aluminum turntable without connecting cable Precision
1690702082	Filling piece for aluminum turntable
1690102041	Filling piece for aluminum precision turntable
1690801048	Storage kit for 4x Q.Grip
1690801047	Storage kit for 4x MultiFit